v2.29.0

API Release notes for RoscoLive v2.29.0

New Endpoints

The following are newly added endpoints

No new endpoints this release.

Updated Endpoints

The following endpoints have been updated.

GET /partners/companies/{company_name}/events

- Added new boolean is_datausage_locked param.
- Added new boolean is_flood param.
- Added new field is_datausage_locked in response.

GET /partners/companies/{company_name}/events/dates

- Added new boolean is_datausage_locked param.
- Added new boolean is_flood param.

GET /devices/{device_id}/events

- Added new boolean is_datausage_locked param.
- Added new boolean is_flood param.
- Added new field is_datausage_locked in response.

GET /events/{event_id}

- Added new field hash in response.
- Added new field email_sent in response.
- Added new field is_datausage_locked in response.
- Added new field is_flood in response.

GET /events/flagged

- Added new field hash in response.
- Added new field email_sent in response.
- Added new field is_datausage_locked in response.
- Added new field is_flood in response.

Updated Objects

The following objects have been updated.

Device Object

The following fields have been added to the device object when returned by relevant APIs.

key	type	description
is_flood	boolean	A flag that indicates if the event was marked as a "flooding" event. Events with is_flood: true are quarantined.
is_datausage_locked	boolean	A flag that indicates if the camera the event was uploaded from has a data usage lock. Cameras with is_datausage_locked: true will have their events quarantined.

Relevant APIs

- GET /partners/companies/{company_name}/events
- GET /partners/companies/{company_name}/events/dates
- GET /devices/{device_id}/events

Events Object

The following fields have been added to the device object when returned by relevant APIs

key	type	description
hash	string	Value used internally
email_sent	string	Indicates what type of email notification was sent to user subscribed to this event type notification. Possible values

key	type	description
		are: "alert", "snapshot", "both"
is_flood	boolean	A flag that indicates if the event was marked as a "flooding" event. Events with is_flood: true are quarantined.
is_datausage_locked	boolean	A flag that indicates if the camera the event was uploaded from has a data usage lock. Cameras with is_datausage_locked: true will have their events quarantined.

Relevant APIs

- GET /events/{event_id}
- GET /events/flagged

Powered by Wiki.js